

1.4

INDEX MAPS.

T. 1 S. R. 7 W. 2 ^d Mer.

	32		32		31		31		30		30	
32	6	19	5	23	4	23	3	24	2	26	1	1
	19		19		23		25		24		29	
32	7	20	8	23	9	25	10	24	11	29	12	1
	21		20		28		28		28		28	
33	18	21	17	27	16	16	15	15	14	13	13	1
	17		17		27		15		14		13	
33	19	22	20	26	21	15	22	14	23	12	24	2
	17		18		26		11		11		12	
33	30	22	29	10	28	9	27	6	26	4	25	2
	18		18		10		8		5		4	
34	31	16	32	9	33	8	34	5	35	4	36	3
	8		7		7		6		5		3	

T. 2 S. R. 7 W. 2 ^d Mer.

65	64		64	63	63	62						
65	6	58	5	58	4	58	3	58	2	57	1	35
	55		56		56		56		57		57	
65	7	55	8	55	9	54	10	54	11	53	12	35
	51		52		52		52		53		53	
65	18	51	17	51	16	50	15	50	14	49	13	35
	47		48		48		48		49		49	
66	19	47	20	47	21	46	22	46	23	45	24	36
	43		44		44		44		45		45	
66	30	43	29	41	28	40	27	39	26	38	25	36
	42		42		41		40		39		38	
66	31	42	32	41	33	40	34	38	35	37	36	37
	61		61		61		60		60		59	

The figures on the lines refer to the page.

Township N. 1. South of Range N. 7. West of the 2nd Mer.

- South On the East Boundary from the N.E. Corner 2nd State land. Timber, Oak, Hickory, & Logwood.
22. 92 A Hickory 7. in. diam.
40. 00 Set a Post from which a W. Oak, 21. S. 50 W. 31 lbs. dist. & a Hickory 12. in. diam. bears S. 36. E. 23. lbs. dist. & a W. Oak 18. in. diam. bears N. 20. E. 25. lbs. dist.
41. 00 The Bed of Run. S. 45. W.
42. 40 The Same Run Course S. E.
45. 00 The Same Run, Course S. W.
52. 60 A Brook 50. lbs. wide, Course S. 60. E.
58. 50 The Same Brook. Course S. W.
62. 00 The Same Do. Course S. E.
68. 50 The Same Do. S. W.
73. 50 The " " " E.
78. 50 The Same Brook. Course S. W.
80. 00 Set a Post from which a Hickory 10. in. diam. bears N. 75. W. 20. lbs. dist. & a Sycamore 36. in. diam. bears N. 83. E. 35. lbs. dist. & an Ash 9. in. diam. bears S. 26. W. 45. lbs. dist.
- 2nd State land. Timber, W. Oak, Hickory, some bottom.

- South Continued on E. boundary of Sec 12
2. 50 A Brook 50. lbs. wide, Course S. E.
2. 94 A W. Oak 20. in. diam.
40. 00 Set a Post from which a W. Oak 20. in. diam. bears S. 32. W. 45. lbs. dist. & a Hickory 10. in. diam. bears N. 33. W. 35. lbs.
53. 50 A Brook 50. lbs. wide, Course N. W.
58. 00 A Brook 25. lbs. wide, Course W.
59. 50 A W. Oak 24. in. diam.
78. 50 A Run 8. lbs. wide, Course W.
80. 00 Set Post corner to Sec. 1. & 12. S. 1. S. 6. 7. W. from which a Gum 8. in. diam. bears S. 85. W. 24. lbs. dist. & a W. Oak 14. in. diam. bears S. 35. W. 24. lbs. dist. & a Gum 12. in. diam. bears N. 36. W. 38. lbs. dist. Level 2nd rate bottom.
- Timber, Ash, Elm, &c. Oct. 24th 1804.

- South Continued on E. boundary of Sec 13
4. 90 A Gum 12. in. in diam.

T. M. S. B. No 7 W. 2nd Mer.

18. 00 The Bed of a Run 6. lks. wide. Course S. W. gently rising & descending
 30. 00 The Bed of a Run 6. lks. wide runs W. gently rising & descending
 40. 00 A G^o the Post from which a W. Oak 15 in? diam^r. bears S. 34.
 W 40. lks. dist & a B. Oak 16. in? diam^r. bears N. 57. W. 29. lks.
 dist & a S. Maple 14. in? diam^r. bears N. 18. E. 23. lks. dist
 50. 00 A Brook 40. lks. wide; Course S. 40. E.
 59. 68 A Hickory 15. in? in diam^r.
 80. 00 Set a Post corner to Sec. 13. & 24. where a W. Oak 10. in? in
 diam^r. bears S. 69. W. 23. lks. dist & a D^e 12 in? diam^r. bears
 N. 83. W. 35. lks. dist & a Hick^y 4 in? diam^r. bears S. 22. E.
 50. lks. dist 2nd rate Land; Timber, Oak, Gum & Hickory.

South Continued on East Boundary. Sec. 24

1. 80 The Bed of a Run 16 lks. wide. Course S. E.
 6. 10 The Bed of a Run 5 lks. wide. Course N. E.
 16. 50 The Bed of a Run 6 lks. wide. Course E.
 17. 93 A W. Ash 12. in? diam^r.
 34. 67 A W. Oak 21. in? diam^r.
 39. 00 The Bed of a Run, Course S. E.
 40. 00 Set a half mile post from which a Beech 8. in? diam^r. bears
 S. 48. E. 14. lks. dist & a Hickory 12. in? diam^r. bears S. 53. W.
 28. lks. dist & a D^e 21 in? diam^r. bears N. 19. W. 36. lks. dist
 41. 50 The Bed of a Run 8. lks. wide. Course N. E.
 69. 50 A Brook 20. lks. wide. Course S. 50. E.
 80. 00 Set a Post corner to Sec. 24 & 25. from which a Beech
 18. in? diam^r. bears S. 55. E. 22. lks. dist & a Gum 9. in? in
 diam^r. bears N. 42. E. 12. lks. dist & W. Oak 12. in? diam^r.
 bears N. 35. W. 41. lks. dist Gently rising & descending

South Continuing On the East side of Sec. 25.

22. 92 A W. Oak 20 in? diam^r.
 32. 70 The Bed of a Run 8. lks. wide. Course S. 70. E.
 37 00 The same run bears. N. 65. E.
 40. 00 Set a G^o the Post. from which a Beech 7. in? diam^r. bears
 N. 73. W. 53 lks. dist & a Beech 18. bears S. 31. W. 33. lks. dist
 & a W. Ash 12. in? diam^r. bears S. 62. E. 39. lks. dist
 61. 00 The Bed of a Run course N. E.

T. N. 1. S. R. N. 7. W. 2nd Mer.

71. 13 A W. Oak 18. in. diam.
 80. 00 Set Post corner to Sec. 25. & 36. from which a W. Oak.
 20. in. diam. bears N. 25. W. 28. lbs. dist. & a W. Oak 10. in.
 diam. bears S. 72. W. 27. lbs. dist. & a W. Oak 20. in. diam.
 bears S. 63. E. 33. lbs. dist. gently rising & descending from a grass

- South Continued On the East side of Sec 36.
 15. 00 The Bed of a Run 8. lbs. wide. Course S. 70. E.
 19. 21 A Poplar 24. in. diam.
 20. 00 The Same Run; Course N. 60. E.
 40. 00 Set a Off Sec. Post, from which a Beech 12. in. diam. bears
 S. 51. W. 47. lbs. dist. & a Beech 10. in. diam. bears S. 61 1/2 E. 43.
 lbs. dist. & a Poplar 30. in. diam. bears N. 47. E. 53. lbs. dist.
 43. 00 The Bed of a Run. Course E.
 45. 40 A Run 10. lbs. wide; Course N. E.
 62. 70 The Bed of a Run 6. lbs. wide; Course S. 10. E.
 69. 34 A W. Oak 15. in. diam.
 73. 30 The Bed of a Run 7. lbs. wide. Course N. 40. E.
 80. 00 Set a Post at the S. E. corner of Town 1. S. R. 7. W. from which
 a Beech 16. in. diam. bears N. 13. E. 44. lbs. dist. & a W. Oak
 10. in. diam. bears N. 22. W. 76. lbs. dist. & a Gum 20. in. diam.
 bears S. 54. E. 39. lbs. dist. & a Poplar 18. in. diam. bears S. 17.
 W. 105. lbs. dist. Upland, Timber. Oak. Hick. Sugar & Beech

- West On the S. Boundary Between Towns 18 & 19. S. R. 7. W.
 29. 18 A W. Oak 18. in. diam.
 32. 50 The Bed of a Run 6. lbs. wide. Course N. W.
 40. 00 Set a Off Sec. Post from which a Gum 12. in. diam. bears S. 55. 72.
 W. 34. lbs. dist. & a Sugar 7. in. diam. bears N. 65. E. 16. lbs. dist.
 43. 00 A Run 6. lbs. wide. Course. N. W.
 44. 80 A Run 6. lbs. wide; Course N.
 60. 75 A Run 8. lbs. wide; Course N.
 72. 50 The Bed of a Run 6. lbs. wide; Course N. W.
 76. 00 The Bed of a Run 20. lbs. wide, S. W. gravelly Bottom.
 79. 00 A Stone Quarry.
 80. 00 Set a Post corner to Sec. 35. & 36 where a Beech 15. in. diam.
 bears N. 42. E. 47. lbs. dist. & a W. Oak 18. in. diam. bears S. 41 1/2

T. N. 1. S. R. N. 7. W. 2nd Mer

Oak 15. in? diam? bears S. 59. E. 60. lbs. dist? & a Hickory 12. in? diam? bears S. 59. E. 60. lbs. dist? & a Do 9. in? diam? bears N. 36. W. 18. lbs. dist?

West	On the S. side of Sec. 35.	T. 1. S. R. 7. W.
00 10	The Bed of a Run 10. lbs. wide: course S. 30. W.	
7. 00	The Bed of Run 10. lbs. wide. course S. E.	
14. 00	itto. - - - 5. lbs. wide, course S. 30. E.	
29. 86	A W. Oak 16. in? diam?	
40. 00	Get a q ^r Sec. Post. from which a Sugar 16. in? diam? bears N. 75. E. 43. lbs. dist? & a Sugar 18. in? diam? bears S. 27. W. 73. lbs.	
57. 38	A Gum 9. in? diam?	
63. 50	A Brook 25. lbs. wide course S.	
67. 00	- - - - - N.	
69. 00	The same Brook. - - - S. 20. W.	
80. 00	Get a Post corner to Sec? 34. & 35. from which an Ash 15. in? diam? bears N. 46. W. 12. & a Birch 21. in? diam? bears S. 27. W. 37. lbs. dist? & a Birch 9. in? diam? bears N. 41. E. 30. lbs. dist?	
	Timber. Birch. Poplar. Oak. & Hickory.	

North	Between Sec? 34. & 35	T. 1. S. R. 7. W.
10. 48	A Sugar 7. in? diam? 11. pland. Timber, Sugar, Birch &c.	
40. 10	Get a q ^r Sec Post, from which a Gum 18. in? diam? bears N. 56. W. 53. lbs. dist? & a Sugar 21. in? bears S. 11. W. 13. lbs. dist?	
47. 00	The Bed of a Run 7. lbs. wide: course W.	
57. 50	A W. Oak 18. in? diam?	
60. 00	The Bed of a Run 8. lbs. wide. course W.	
66. 00	The Bed of a Run 4. lbs. wide course S. W.	
76. 00	A Run. course S. E. Steep Bank on which is a Quarry.	
80. 00	Get a Post corner to Sec? 26. 27. 34. & 35. from which a W. Oak 10. in? diam? bears N. 61. W. 47. lbs. dist? & a W. Oak 21. in? diam? bears S. 44. W. 19. lbs. dist? & a W. Oak 36. in? diam? bears S. 65. E. 16. lbs. dist? Slightly rising & descending	

East	Between Sec? 26. & 35.	T. 1. S. R. 7. W.
0. 00	The Bed of a Run 5. lbs. wide Course S.	
24. 53	A Sugar 12. in? diam?	

T. No 1. G. B. No 7. W. 2nd Mer

- N 56. E. 26. lbs. dist: & a Dec 15. in? diam? bears G 44. E. 35. lbs. dist:
 53. 38 A Station tree 12. in? diam?
 55. 00 A Brook 30. lbs. wide, course S.
 71. 13 A Spruce 21. in? diam?
 76. 00 A Brook 40. lbs. wide, course S. 30. W. Swift.
 80. 00 Set a Post corner to Dec 33 & 34 where a Birch 22. in? in
 diam? bears G 73. E. 36. lbs. dist: & an Elm 10. in? diam? bears
 N 57. E. 37. lbs. dist: & a Birch 12. in? bears G 16. W 31 lbs. dist:

- West On the S. side of Dec. 33. Over level Bottom.
 10. 20 An Elm 24. in? diam?
 35. 00 The Bed of a Run 10. lbs. wide. Course S. W.
 40. 00 Set a Temporary G. Dec. Post. from which a W. Oak 20. in?
 diam? bears G 40. W 14 lbs. dist: & a Maple 14. in? diam?
 bears N 61. E. 36. lbs. dist:
 49. 50 The Bed of a Run 12. lbs. wide; course S.
 52. 73 A Poplar 42. in? diam?
 55. 00 A Run 75. lbs. wide. Course S. E.
 70. 00 Upland 1st Quality W. & B. Oak. Hick⁴ Ash &c. Plenty of grass
 & Herbage. some Underwood.
 80. 00 Set Post corner to 32. & 33. T. 1. & Dec. 4 & 5. in Turn 2.
 where a Birch 15. in? diam? bears G 37. W 67. lbs. dist: & a
 W. Ash 18. in? diam? bears G 14 E. 48. lbs. dist: & a W. Oak 12.
 in? diam? bears N 39. E. 50. lbs. dist:

- West On the S. side of Dec. 32. T. 1. G. B. 7. W.
 00. 25 The Bed of a Run 12. lbs. wide course S. Upland of the
 1st quality Runng. & descending Timber. Oak. Hickory Ash
 Underwood. herbage & Grass.
 17. 00 The Bed of a Run 13. lbs. wide, course S. E.
 36. 50 The Bed of a Run 6. lbs. wide course S. W.
 40. 00 Set a Post Oak 20. in? diam? bears G 44 E. 17. lbs. dist: & a
 W. Oak 6. in? diam? bears N 59. W 55. lbs. dist:
 45. 03 A Poplar 6. in? diam?
 49. 00 The Bed of a Run 5. lbs. wide course S. W.
 61. 00 A Run 6. lbs. wide; course S. E.
 72. 25 Set a Brook 150. lbs. wide. course N. some bottom.

T. N. 1. S. R. No 7. W. 2nd Mer.

50. 00 Set Post Corner to Gr^s 31. & 32. from which an Elm 8. in? in diam? bears N. 45. W. 54. lbs. dist. & an Elm 7. in? diam? bears S. 56. E. 11. lbs. dist.

- West On the Side of Gr^s 31. on Bottom. 2nd Quality Timber Oak Hickory. Poplar, Sassafras, &c.
27. 50 The Bed of a Run 10. lbs. wide; course N.
40. 00 Set a Post. from which a W. Oak 20. in? diam? bears N. 73. W. 68. lbs. dist. & a W. Oak 12. in? diam? bears S. 64. E. 38. lbs. dist.
48. 00 The Bed of a Run 5. lbs. wide. course N. E.
90. 03 To a Post at the S. W. Corner of Town 1. S. R. 7. W. & fell N. 1. 14. Hilly Inadequate Upland. Timber. Oak. Hickory & Poplar Thick Underwood. & plenty of herbage Oct. 27. 1804

- North Between Gr^s 33. & 34. Over hilly Upland of the 1st Quality Timber. Oak. Birch &c. &c.
2. 50 A Brook 30. lbs. wide. course S. E.
8. 38 A W. Oak 12. in? in diam?
33. 00 The Bed of a Run 6. lbs. wide; course W.
33. 29 A Sweet Gum 12. in? diam?
40. 00 Set a Gum post to a Birch 10. in? diam? which bears S. 50. E. 15. lbs. dist. & a Oak 7. in? diam? bears S. 64. W. 35. lbs. dist.
45. 70 A W. Oak 30. in? in diam?
49. 00 A Run 4. lbs. wide; course S. W.
55. 00 A Brook 30. lbs. wide. course S. 30. W.
57. 50 The Same " " " " S. E.
59. 50 The Same " " " " S. W.
70. 25 The Same " " " " N. E.
73. 69 A Sugar Tree 12. in? diam?
80. 00 Set a Sugar Post, corner of Gr^s 27. 28. 33. & 34. from which a Sugar 10. in? diam? bears N. 12. W. 40. lbs. dist. & a Sugar 8. in? diam? bears S. 29. E. 18. lbs. dist. & a W. Oak 27. in? in diam? bears S. 37. W. 45. lbs. dist. On the last half mile some rich bottom. Timber. Sugar. Oak Gum, Ash. Hickory.

- East On a line between Gr^s 27. & 34. T. N. S. R. 7. W.
17. 50 A Brook 15. lbs. wide. course S.

T. A. G. Co. No 7. W. 2nd Mer

25. 00 The Bed of a Run 4. lks. wide. Course N. 60. W.
 30. 04 A W. Oak 9. in. in diam.
 30. 50 The bed of a Run. Course S. W.
 32. 00 A large Quarry of Free Stone.
 39. 87 Set a B Walnut Post. from which an Oak 21. in. diam.
 bears S. 56. W. 25. lks. dist. & an Oak 24. in. diam. bears N.
 56. E. 35. lks. dist.
 54. 82 A W. Oak 18. in. in diam.
 56. 00 The Bed of a Run 4. lks. wide. Course S. E.
 76. 00 The Bed of a Run 5. lks. wide. Course S. E. Quarry.
 79. 73 A Dogwood Post. corner of Sec. 26. 27. 34. & 35. Mpland
 of the 1st Quality. gently rising & declining. Timber W. Oak.
 Hickory Poplar. Sugar &c.

- North Between Sec. 27. & 28. T. A. G. Co. 7. W. over hilly 1st-
 rate Land. Timber Sugar. Birch. Ash. Poplar. W. Oak.
 Hickory. Dogwood. Elm. & plenty of herbage. &c. &c.
 9. 00 The bed of a Run 6. lks. wide; Course W.
 20. 59 A W. Oak 10. in. in diam.
 26. 00 A Run 8. lks. wide. Course W.
 40. 00 Set a Dogwood Post from which a Poplar 30 in. in diam.
 bears S. 66. W. 24. lks. dist. & a Sugar tree 20. in. diam. bears N. 51. W.
 W. 34. lks. dist.
 41. 50 The Bed of a Run 8. lks. wide; Course A. W.
 46. 50 The Bed of a Run 6. lks. wide; Course S. W.
 51. 50 A Brook 20. lks. wide. Course W.
 56. 50 A Brook 20. lks. wide Course S. E.
 70. 93 A W. Oak 10. in. diam.
 73. 00 A Brook 20. lks. wide; Course S. W.
 80. 00 Set a Dogwood Post. corner of Sec. 21. 22. 27. & 28. from
 which an Elm 9. in. diam. bears S. 71. W. 48. lks. dist. & a
 Hickory 14. in. in diam. bears N. 47. E. 29. lks. dist. & a W.
 Oak 10. in. in diam. bears N. 72. W. 20. lks. dist. The last
 half mile mostly bottom. 2nd Quality Timber. Sugar.
 Hickory, Elm, &c.

North Between Sec. 32. & 33. A W. Oak Post. T. A. G. Co. 7. W.

T. N. 1. G. R. N. 7. W. 2nd Mer.

Upland of the 1st quality. Timber. Oak. Ash. Poplar.
Hickory. Sugar tree,

31. 43 A Hickory 18. in. diam.
40 00 A Poplar Post. for Gr. Sec. corner, to a Hickory 15. in. in
diam. bears N. 44. W. 37. lbs. dist. to a Birch 10. in. diam.
bears S. 65. W. 72. lbs. dist.
41. 00 The Bed of a Brook 15. lbs. wide. Course S. E.
48. 30 The Same " " " " " S. W.
50. 00 The Same " " " " " S. E.
52. 50 The Same " " " " " S. W.
53. 00 The Same " " " " " S. E.
64. 00 The Same " " " " " S. W.
71. 76 A W. Oak 24 in. diam.
72. 00 The Bed of a Run 5. lbs. wide. Course S. E.
80. 00 A Dogwood post Corner to Sec. 28. 29. 32. & 33 from
which an Elm 10. in. diam. bears N. 48. W. 35 lbs. dist. to a
Yum 10. in. diam. bears S. 70. E. 48. lbs. dist. To an Elm 10.
in. diam. bears S. 18. W. 27. lbs. dist. The last half mile
mostly Bottom. of the 1st quality. Timber. Sugar &c.

-
- East Between Sec. 28. & 33. T. 1. G. R. 7. W.
2. 60 The Bed of a Run 4. lbs. wide; Course S.
28. 00 The Same " " " " " Course S. E.
33. 84 An Oak 24 in. in diam. Station tree
41. 06 A Poplar Post. to a W. Oak 30. in. diam. bears N. 39. E. 33.
lbs. dist. to a W. Oak 24 in. diam. bears N. 44. W. 31. lbs. dist.
51. 10 A Run 4. lbs. wide. Course S.
64. 72 A W. Oak 20. in. diam. Station tree
70. 00 A Run 10. lbs. wide; Course S. E.
75. 00 A Brook 20. lbs. wide. Course South.
80. 12 A Sugar Post corner of Sec. 27. & 38. 33. & 34
This mile is mostly Upland. of the 2nd quality. Timber. Oak.
Hickory. Sugar tree & Birch. & plenty of herbage &c.

-
- North Between Sec. 28. & 29. Hilly Upland. of the 2nd quality
Timber. W. Oak, B. Oak, Hickory, Gum, Dogwood, thick
Underwood & plenty of herbage.

T. N. 1 G. B. N. 7 W. 3rd Mer.

12. 50 The Bed of a Run 4. lks. wide. Course S. E.
 29. 30 A Hickory 10. in. diam.
 40. 00 Set a W. Oak Stake; from which a Poplar 8. in. diam. bears
 N. 10. W. 26 lks. dist. & a W. Oak 18. in. diam. bears S. 85. E. 26. lks. dist.
 42. 50 The Bed of a Run 4. lks. wide. Course N. W.
 63. 89 A W. Oak 27. in. diam.
 69. 50 The Bed of a Run 5. lks. wide. Course N. W.
 80. 00 A Poplar Stake; borne to Sec. 20. 21. 28. & 29. to a W. Oak
 21. in. diam. bearing N. 21. E. 34. to a Dogwood. 9. in. diam.
 bearing N. 24. W. 49 lks. dist. To a W. Oak 30. in. diam. bearing
 S. 47. W. 71. lks. dist.

- East Between Sec. 23. & 27. Monday, Oct 29th 1804.
 1. 00 A Brook 20. lks. wide; course S.
 18. 45 An Oak 27. in. diam.
 27. 50 The bed of a Run 4. lks. wide. Course S. E.
 31. 50 The bed of a Run 5. lks. wide. Course S.
 35. 00 A Quarry 200. lks. S. of the line.
 37. 00 The bed of a Run 4. lks. wide. Course S. W.
 39. 93 A Dogwood post from which an Oak 14. in. diam. bears S. 38.
 E. 16. lks. dist. & an Oak 18. in. diam. bears N. 55. E. 47. lks. dist.
 45. 00 The Bed of a Run 4. lks. wide. Course S.
 60. 50 The Bed of a Run 10. lks. wide; course S. Steep high Banks.
 lined with Free Stone Irregular, nearly parallel to the horizon.
 60. 00 A Run of 8. lks. wide. Course S.
 60. 50 The Same " " " " N. W.
 63. 50 The Same " " " " S. W.
 69. 20 The Same Run of 8. lks. wide. Course N. W.
 70. 80 A Hickory 14. in. diam.
 79. 85 A Dogwood Post corner of Sec. 23. 23. 26. & 27. Hilley
 Upland of the 2nd quality Timber, Oak. Hickory Ash &c.

- East On a line Between Sec. 23. & 26. T. 1. G. B. 7. W.
 14. 07 A W. Oak 12. in. diam.
 23. 43 A W. Oak 18. in. diam.
 24. 00 A Run of good water 5. lks. wide. Course S.
 25. 30 The Same " " " " S. W.

T. M. G. B. N 7. W. 2nd Mer.

39. 90 Set a Post for the Corner to an Oak 22. in. diam. bearing N. 41. E. 50. lbs. dist. & an Oak 24. in. diam. bears S. 60 1/2 E. 68. lbs. dist.
48. 50 A Run 3. lbs. wide. Course S. W.
49. 06 A Hickory 18. in. diam.
59. 00 The Bed of a Run 4. lbs. wide. Course S. W.
60. 00 The Same - - - 4. lbs. wide - N. W.
60. 68 A W. Oak 12. in. diam.
79. 80 A Dogwood Corner of Sec. 23. 24 25. & 26.

- East Between Sec. 24. & 25. Upland of the 2nd Quality.
4. 50 The Bed of a Run 4. lbs. wide. Course N. E.
6. 00 The Same. Course N. E. 4. lbs. wide.
15. 98 A W. Oak 27. in. diam.
23. 96 A Red Oak 21. in. diam.
34. 25 The Bed of a Run 5. lbs. wide. Course N. E.
34. 75 The Same - - - - - S. E.
36. 00 The Bed of a Run 8. lbs. wide. Course S. E.
40. 13 A Dogwood Post, from which an Oak 21. in. diam. bears S. 36. E. 16. lbs. dist. to an Elm 18. in. diam. bears N. 44 1/2 E. 65 lbs.
44. 69 A W. Oak 15. in. diam.
51. 00 A Run 10. lbs. wide. Course N. 60. E.
54. 50 The Same - - - - - S. E.
57. 00 The Same - - - - - N. E.
64. 00 The Same Run. Course S. E. 10. lbs. wide.
70. 00 The Same - - - - - N. E. - - -
50. 24 A Dogwood on each line of Sec. 24. & 25. This mile is mostly Upland. of the 2nd Quality. Timber. Oak. Birch Sugar. Hickory. Ash. & Gum. A plenty of huckleberry & some Bottom on the Creek.

- North Between Sec. 23. & 24. Hillly Upland of the 3rd Quality. Timber. Oak. Hickory. Ash. Poplar.
5. 20 The Bed of a Run 5. lbs. wide. Course S. E.
9. 38 A W. Oak 15. in. diam.
18. 00 The Bed of a Run 4. lbs. wide. Course E.
40. 00 Set a Hickory Post, from which a W. Oak 9. in. bears S. 59. E. 26.

T. P. 1. G. B. No 7. W. 2nd Mer.

lks. dist. to a W. Oak 20 in. diam. bearing N. $11\frac{1}{2}$ E. 38. lks. dist.

50. 00 The Bod of a Run 4 lbs. wide. Course N.W.
58. 50 The Bod of a Run 4 lbs. wide. Course S.W.
78. 32 A W. Oak 20. in. diam.
80. 00 A Dogwood Corner of Oct. 13. 14. 23. & 24. from which a
W. Oak 15. in. diam. bears G. 55. 1/2. W. 29. lbs. dist. 4. a Hick 12.
12. in. diam. bears G. 17. 8. 15. lbs. dist. To a W. Oak 12. in. in
diam. bears N. 15. W. 46. lbs. dist.

East On a line Between Sec. 13. & 14 T. 1. S. R. 7. W.
Over Upland, of the 2nd quality, growthy rising. Timber
W. Oak. Hickory & Ash.

- [illegible]

North Between Secs. 13 & 14. T. 1. S. R. 7. W. Over gently, rising & descending Land. of the 2nd quality. Timber. Oak. Hickory. Elm. Ash. Gum. Dogwood. &c.

5. 00 The Bed of a Run 4 lbs. wide. Course N. W.
17. 88 A W. Oak 30. in. diam.
37. 50 The Bed of a Run 8 lbs. wide. Course N. E.
40. 00 Set a Post to a Maple 18. in. diam. bearing S. 63. E. 42.
to a Swamp Oak 12. in. diam. bearing. N. 33. W. 25. lbs. dist.
42. 50 A Brook 15. lbs. wide. Course East.

T. N. G. Co. No 7. W. 2nd Mer.

58. 74 An Oak Station 12. in? diam?
 63. 00 The Bed of a Run 10. lbs. wide. Course N. W.
 70. 11 An Oak 18. in? diam?
 80. 00 Set a Dogwood Post at Corner of Sec? 11. 12. 13. & 14. from
 thence to an Oak 9. in? diam? bearing N. 51. E. 36. lbs. dist to
 an Oak 21. in? diam? bearing S. 58. 12. E. 49. lbs. dist to an
 Hickory 12. in? diam? bearing N. 50. W. 26. lbs. dist?

North Between Sec? 22. & 23. T. N. G. Co. 7. W. Gently rising
 Timber. Oak. Hickory. Gum, Dogwood, & underwood &c.

Land of the 2nd Quality

3. 70 The Bed of a Run 5. lbs. wide. Course N. W.
 7. 00 The Same. " 5. " " " S. W.
 28. 93 An Oak 21. in? diam?
 35. 50 A Run of 4. lbs. wide. Course N. E.
 40. 00 Set a Dogwood Post to a Gum 10. in? diam? bearing S. 61.
 W. 39. lbs. dist & an Oak 10. in? diam? bears N. 39. W. 60. lbs. dist
 44. 50 The Bed of a Run 4. lbs. wide. Course S. E.
 72. 78 An Oak station 20. in? diam?
 75. 00 The Bed of a Run 6. lbs. wide; Course N. E.
 80. 00 Set a Dogwood Post at the Corner of Sec? 14. 15. 22. & 23.
 to an Oak 10 in? diam? bearing S. 64. E. 49. lbs. dist & an Oak
 12. in? diam? bears N. 10. W. 56. lbs. dist Tuesday Nov 1st. 1804
 to a Gum 12 in? bears N. 69. E. 54. lbs. dist

East Between Sec? 14. & 23. T. N. G. Co. 7. W. Over Upland
 gradually rising & descending of the 2nd Quality. Timber.
 Oak, Hickory. W. Oak. & Gum.

20. 50 The Bed of a Run 5. lbs. wide. Course S.
 38. 00 The Same. " 4. " " " S. E.
 38. 94 An Oak 20. in? diam?
 39. 85. Set a Dogwood Post to an Oak 20. in? diam? bearing S. 25.
 E. 32. lbs. dist & an Elm 9. in? diam? bears S. 32. W. 33. lbs. dist
 49. 20 A Hickory 20. in? in diam?
 50. 00 A Brook 120. lbs. wide. Course N. E.
 60. 38 A Maple 18. in? diam?
 63. 00 The Bed of a Run 8. lbs. wide. Course N.

T. N. G. Co. No 7. W. 2nd. Sec.

79. 70 A Dogwood Stake at the corner of Sec 13. & 14. 23. & 24.
Come bottom on the East half mile.

- North Between Sec 14. & 15. T. N. G. Co. 7. W. Over Upland of
the 2nd quality. Timber Oak. Hick^y Dogwood & plenty of huckle
13. 01 A W Oak 36. in. diam.
21. 32. An Oak 20. in. diam.
40. 00 Set a Dogwood Stake to a Gum 8. in. diam. bearing N. 6. W.
52. lbs. dist. & a Gum 8. in. diam. bearing N. 50. E. 46. lbs. dist.
57. 50 The Bed of a Run 4 lbs. wide. Course N. W.
58. 04 An Oak 18. in. diam.
80. 00 Set a Dogwood Post at the corner of. Sec 10. 11. 14 & 15. to
a W. Oak 9. in. diam. bearing N. 23. W. 34. lbs. dist. & a W. Oak
8. in. diam. bears N. 54. E. 26. lbs. dist. To a W. Oak 10. in. in
diam. bearing S. 32. W. 11. lbs. dist.

- North Between Sec 21. & 22. T. N. G. Co. No 7. W. The Land
is greatly rising & descending & of the 2nd quality Timber
Oak Hickory. &c. &c.
7. 25 A Oak 21. in. diam.
14. 00 A Brook 10 lbs. wide. Course S. E.
32. 50 The Bed of a Run 5. lbs. wide. Course S. W.
38. 53 An Oak Station 21. in. diam.
40. 00 Set a Dogwood Post: from thence to an Oak 10. in. diam. bearing
S. 20. E. 16. lbs. dist. & an Oak 18. in. diam. bears S. 64. W. 65. lbs. dist.
50. 67 A Hickory stationary 12. in. diam.
70. 50 The Bed of a Run 4 lbs. wide. Course N. W.
80. 00 Set an Oak Post corner of Sec 15. 16. 21 & 22. to a Hickory
9. in. diam. bearing S. 30 1/2 W. 48 lbs. dist. & a Maple 9. in. diam.
bears S. 80. E. 10. lbs. dist. & an Elm 12. in. diam. bears N. 59. W. 10. lbs. dist.

- East Between Sec 15. & 22. T. N. G. Co. 7. W. Over level Land
of the 2nd quality. Timber Hickory. Oak. Ash. &c.
13. 00 The Bed of a Run 5. lbs. wide. Course N. W.
21. 06 An Oak. Station 27. in. diam.
31. 14 An Oak Station 27. in. diam.

T. Sp. 1. G. Co. No 7. SW 3rd Mer.

39. 94 Get an Elm Post. from thence to an Oak 9. in. diam. bearing
 S. 44 $\frac{1}{2}$ E. 18. lbs. dist. to a Hick^o 10. in. bears N. 39. E. 15. lbs. dist.
40. 50 The Bed of a Run 5. lbs. wide, Course N.
47. 13 An Oak Stationary 27. in. diam.
56. 00 The Bed of a Run 5. lbs. wide, Course N. E.
58. 43 An Oak Stationary 21. in. diam.
63. 75 The Bed of a Run 5. lbs. wide, Course N.
79. 88 A Dogwood Post; corner of Sec. 14. 15. 22. & 23.

- North Between Sec. 15. & 16. T. 1. G. Co. 7. W. Land of the 2nd
 quality, gently rising, Timber, Oak, Ash, Maple, & Hickory.
5. 50 The Bed of a Run 8. lbs. wide, Course N. E.
18. 26 An Oak Stationary 14. in. diam.
20. 00 An Open Prairie; corner on Chap.
35. 00 Upland of the 2nd quality, Timber, Oak, Maple, Ash, & Hickory.
40. 00 Get a Dogwood Post; from thence to an Oak 26. in. diam. bearing
 S. 28. W. 16. lbs. dist. & to a Oak 12. in. diam. bears S. 50. E. 21. lbs. dist.
58. 22 An Ash Stationary 10. in. diam.
80. 00 Get an Elm post; corner of Sec. 15. 16. 21. & 22. from thence
 to a Maple 12. in. diam. bearing S. 28. W. 48. lbs. dist. to an
 Oak 24. in. diam. bearing S. 61. E. 16. lbs. dist. & from thence
 to an Oak 6. in. diam. bearing N. 71. E. 19. lbs. dist.

- South Between Sec. 31. & 32. T. 1. G. Co. 7. W. Land gently
 rising & of the 1st quality, Timber, Oak, Hickory, Ash, Gum & Elm &c.
3. 80 A Run 4. lbs. wide, Course S. W.
23. 50 A Run 3. lbs. wide, Course S. W.
40. 00 Get a Post to an Oak 21. in. diam. bearing N. 33. E. 16. lbs.
 dist. & from thence to an Oak 14. in. diam. bearing S. 62. W. 40. lbs. dist.
49. 00 A Run 6. lbs. wide, Course W.
52. 00 An Open marsh Bramble.
53. 50 A Run 5. lbs. wide; Course S. W.
57. 50 Upland of the 1st quality, Oak, Hickory & Poplar.
59. 50 Potatoe Creek 25.0. lbs. wide; Course N. 70. W.
62. 00
79. 30 To the Line.

T. M. G. Co. No 7. W. 2nd Mer.

Ch. Lhs.		
East	Between	Chel. 17. & 20. T. 1. South of Range No 7. W.
		Over hilly Upland of the 2 nd quality. Timber. Oak. Hickory &c.
17.	10	An Oak 10 in. diam. in the line.
22.	50	A Run 4 lbs. wide. Course S.
24.	00	The Bed of a Run 3. lbs. wide. Course S. W.
46	07	Get a Post, to an Oak 16. in. diam. bearing S. 50. W. 44 lbs. dist.
		From Oak 24. in. diam. bears N. 31. W. 37. lbs. dist.
41.	50	The Bed of a Run 4. lbs. wide. Course S.
48.	00	A Run 3. lbs. wide. Course S. W.
69.	50	The Bed of a Run 3. lbs. wide Course S. W.
88	14	To a Post corner of Chel. 16. 17. 20. & 21.

West	Between	Chel. 18. & 19. T. 1. G. No 7. W. The same as before.
1.	00	A Run 6 lbs. wide. Course S. 20. E.
3.	50	The Bed of a Run 3. lbs. wide. Course S. E.
20.	00	A Run 3. lbs. wide. Course S.
31.	37	A Oak 20. in. diam. in the line.
46.	10	Get a Post to an Elm 16. in. diam. bearing S. 70. W. 6. lbs. dist.
		& a Dogwood 6. in. diam. bears N. 72. E. 30. lbs. dist.
49.	00	A Run 4 lbs. wide. Course S.
53.	40	A Run 3 lbs. wide. Course S.
54.	20	An Oak 20 in. diam. in the line.
56.	50	A Run 7. lbs. wide; Course S. E.
86.	14	Intersect the W. line. at a Post. corner of Chel. 18. & 19. from which a Dogwood 8 in. diam. bears N. 42. E. 52. lbs. dist. & an Oak 18. in. diam. bears S. 59. E. 61. lbs. dist.

West	Between	Chel. 19. & 30. T. 1. G. No 7. W. Upland of the 1 st quality. Hilly. Timber. Oak. Hick. Dogwood. Gum & Ash.
9.	91	An Oak 21. in. diam. in the line
17.	50	A Run 5. lbs. wide. Course S.
27	14	An Oak 24. in. diam. in the line
40.	00	Get a Post. to a Gum 12. in. diam. bearing N. 59. E. 36. lbs. dist. & from thence to a Dogwood 8 in. diam. bearing S. 49. W. 60. lbs.
48.	00	A Run 3. lbs. wide; Course S. W.
65.	55	A W. Oak 10. in. diam. in the line.

T. N. 1. S. R. No 7. W. 2nd Mer.

73. 20 A Run 7. lks. wide. Course S. W.
 82. 00 A Brook 9. lks. wide Course S. 20. W.
 87. 80 Intersect the W. Range line at a Post. Corner of Sec. 19. & 30. & 46. lks. Oct 2. mile Post. & thence to a Hickory 8. in? diam? bearing N. 47. E. 56. lks. dist. & an Oak 18. in? diam? bears S. 59. E. 57. lks. dist.

- East Between Sec. 20. & 29. T. 1. S. R. 7. W. Upland of a 2nd Quality Timber, Oak, Elm, Ash, Hickory, & Dogwood.
 9. 50 A Brook 12. lks. wide. Course S. High Bank of Stone Coals
 10. 00 Met Bottom 2nd Quality. Elm, Maple, Ash & Oak Timber
 24. 68 A Oak 21. in? diam? in the line
 25. 00 Upland of the 2nd Quality.
 39. 70 Get a Post to an Oak 12 in? diam? bearing N. 19. E. 39. lks. dist.
 to a Sycamore 7. in? diam? bearing S. 29. W. 36. lks. dist.
 40. 20 The Bed of a Run 3. lks. wide. Course S. W.
 44. 12 A W. Oak 27. in? diam? in the line.
 68. 50 A Run 4. lks. wide. Course N.
 79. 40 To a Post; corner of Sec. 20. 21. 28. & 29.

- East Between Sec. 29. & 33. T. 1. S. R. 7. W. Over Upland of the 1st Quality Timber, Oak, Hickory, Ash, Elm, & Gum.
 26. 50 A Run 5. lks. wide. Course S. W.
 28. 40 A Oak 20 in? diam? in the line
 33. 50 The Bed of a Run 3. lks. wide. Course S. W.
 39. 69 Get a Post, from which a W. Oak 20. in? diam? bears S. 48. E. 48.
 & a W. Ash 12 in? diam? bears N. 81. W. 33. lks. dist.
 46. 81 An Oak 36. in? diam? in the line
 77. 20 A Run — lks. wide. Course S.
 79. 38 To a Post; corner of Section

- West Between Sec. 30. & 31 T. 1. S. R. 7. W. Upland gently rising of the 1st Quality Timber Oak, Ash, Gum, Maple, & Hick.
 5. 00 A Brook 12. lks. wide. Course S.
 23. 40 A W. Oak 30. in? diam? in the line
 29. 00 The Bed of a Run 4. lks. wide. Course S. E.

T. N. 1. S. R. N. 7. W. 3rd Mer.

40. 00 Set a Post to a W. Oak 16 in. diam. bearing S. 8. W. 41. lbs. dist. 8 to a W. Oak 16 in. diam. bearing N. 23 1/2 E. 74 lbs. dist.
59. 20 A Poplar 36 in. diam. in the line.
88. 93 Intersecting the West line. at a Post. 50 - S. of the 1. mile post. Corner of Sec. 30. & 31. to an Elm 16 in. diam. bearing N. 52. E. 38 lbs. dist. 4 to an Elm 14 in. diam. bearing S. 49. E. 74 lbs.

- West Between Sec. 5. & 8. T. 1. S. R. 7. W. mostly Upland of the 2nd Quality. Timber. Oak. Hickory. Elm. & Ash.
7. 55 A W. Oak 18 in. diam. in the line.
14. 00 The Bed of a Run 4 lbs. wide. Course S.
40. 00 Set a Post to an Ash 12. bearing N. 54. E. 13 lbs. dist. 4 to a W. Oak 20 in. diam. bearing S. 53. W. 44 lbs. dist.
57. 70 The Bed of a Run 6 lbs. wide. Course S.
60. 00 A Run 8 lbs. wide. Course S. E.
60. 50 The Same - - - - - N. E.
- 65 50 The Same - - - - - S. E.
70. 00 Same - - - - - N. E.
72. 27 A Hickory 12 in. diam. in the line.
74. 50 A Run 4 lbs. wide. Course N. E.
76. 75 A Run 4 lbs. wide Course S. E.
80. 00 Set a Post corner of Sec. 5. 6. 7. & 8. from which an Elm 8 in. diam. bears S. 43 1/2 W. 30 lbs. dist. 8 to a B. Oak 18 in. diam. bears N. 57. E. 52 lbs. dist.

- North Between Sec. 5. & 6. T. 1. S. R. 7. W. Over 2nd rate Upland Timber. Oak, Ash. Hickory; & Elm
10. 00 The Bed of a Run 3 lbs. wide. Course S. E.
40. 00 Set a Post to an Oak 24 in. diam. bearing S. 73. E. 50 lbs. dist. 4 to a Poplar 6 in. diam. bearing N. 61. W. 31 lbs. dist.
88. 00 The Bed of a Run 3 lbs. wide. Course N. E.
71. 00 The Bed of a Run 3 lbs. wide. Course East
81. 40 To Base line at a Post. Corner of Sec. 5. & 6.

- West Between Sec. 6. & 7. T. 1. S. R. 6. W. Gently rising Upland. 2nd rate.

T. N. 1. S. R. N. 7. W. 2nd Mer.

9. 91 A Dogwood 6. in? diam? in the line
 27. 55 A W. Oak 30. in? diam? in the line.
 30. 00 A Run 4. lks. wide. Course S. W.
 40. 00 Set a Post to a Maple 10. in? diam? bearing N. 32. W. 20. lks.
 dist? & a Maple 9. in? diam? bears S. 26. E. 20. lks. dist?
 54. 53 An Oak 27. in? diam? in the line
 66. 50 A Run 3. lks. wide. Course S.
 82. 78 Set a Post on the West Range line. 65. lks. S. of the 5.
 mile Post, where a Maple 10. in? diam? bears N. 55. 1/2 E. 12.
 lks. dist? and a Maple 9. in? diam? bears S. 46. E. 27. lks. dist?
 The last half mile is not lamed, suitable for crop.
 Timber Maple. Elm. Oak. & Ash. Nov 24th 1854.

- South Between Sec? 7. & 8. T. 1. S. R. 7. W. Level Upland,
 2nd rate. Timber. Oak. Elm. Hickory. & Ash.
 3. 50 A Run 6. lks. wide Course N. E.
 15. 50 An Elm 10. in? diam? in the line
 28. 17 An Oak 24. in? diam? in the line.
 110. 00 Set a 1/2 Sec. Post. from which a W. Oak 21. in? diam?
 bears S. 69. W. 55. lks. dist? & a W. Oak 18. in? diam? bears
 N. 53. E. 49. lks. dist?
 55. 77 A B. Oak 24. in? diam? in the line
 65. 73 A B. Oak 27. in? diam? in the line
 72. 51 A Run 4. lks. wide. Course N. E.
 79. 50 Indian Path; . Course East.
 80. 00 Set a Post corner of Sec? 7. 8. 17. & 18. to a W. Oak 36. in?
 diam? bearing S. 23. E. 09. to a W. Oak 18. in? diam?
 bearing N. 13. W. 48. lks. dist?

- East Between Sec? 8. & 17. T. 1. S. R. 7. W. Grassy rising
 & descending. Upland 2nd rate. Timber. Oak, Gum.
 and Hickory
 4. 39 An Oak 20. in? diam? in the line
 39. 45 Set a Post; from which a Gum 12. in? diam? bears S. 70.
 E. 26. lks. dist? & a Dogwood 8. 6. in? bears N. 36. W. 17. lks. dist?
 51. 79 A Hickory 20. in? diam? in the line.
 71. 60

T. N. 1. S. R. N. 7. W. 2nd Mer.

71. 00	The bed of a Run 5. lks. wide; Course N. E.
74. 90	Set a Post corner to Sec. 8. 9. 16. & 17.
West	Between Sec. 7. & 18. T. N. 1. S. R. 7. W. rising & descending Upland of a 2 nd Quality, Timber. W. Oak. Hickory Ash & Gum.
3. 50	A Run 3. lks. wide, Course N.
8. 00	A Ditto. " " " " " N. E.
17. 50	A Ditto. " " " " " N. E.
19. 21	An Oak 20. in. diam. in the line
34. 04	A Hickory 21. in. diam. in the line Set a Post from which a W. Oak 14 in. diam. bears S. 51. E. 14. lks. dist. & a W. Oak 12. in. diam. bears N. 61. W. 29. lks. dist.
54. 37	A W. Oak 22. in. diam. in the line
57. 50	The bed of a Run 4. lks. wide. Course N. W.
64. 00	A Run 3. lks. wide. Course N. E.
66. 25	A Run 3. lks. wide Course N. E.
84. 50	Intersects W. Range line at Post. 36. lks. S. of the 4. mile Post. from which an Oak 18. in. diam. bears N. 61. E. 20. lks. dist. & a Dogwood 6. in. diam. bears S. 61. W. E. 46. lks. dist.
South	Between Sec. 17. & 18. T. N. 1. S. R. 7. W. Upland of a 2 nd quality Timber. Oak, Hickory & Dogwood.
11. 90	A Hickory 10. in. diam. in the line.
25. 00	A Run 4. lks. wide Course N. E.
30. 20	A W. Oak 18. in. diam. in the line
35. 50	A Run 3. lks. wide; Course E.
40. 00	Set a Post from which a B. Oak 24. in. diam. bears N. 38. W. 55. lks. dist. & a Dogwood 7. in. diam. bears S. 50. E. 8. lks.
52. 14	A W. Oak 15. in. diam. in the line.
56. 00	The bed of a Run 3. lks. wide. Course S. W.
59. 00	A Run 2. lks. wide. Course S. W.
64. 50	A Run 2. lks. wide. Course S. W.
76. 00	A Run 7. lks. wide; Course S. E.
77. 50	The Same " " " " " S. W.
80. 00	Set a Post corner of Sec. 17. 18. 19. & 20. from which an Oak 20. in. diam. bears S. 10. E. 28. lks. dist. & a Dogwood 7. in.

T. N. 1 S. R. No 7 W. 3rd Sec.

Leaves N. 51. W. 36. lbs. dist.

- South Between Secs 19. & 20. T. 1. S. R. No 7 W.
27. 00 1st quality of Land. Elm, Ash, B. & W. Oak. & Walnut Timber
28. 00 A Run 4. lbs. wide. Course S. W.
39. 00 A Brook 12. lbs. wide. Course S. E.
40. 00 Set a Post; from which an Elm 20. in. diam. bears N. 11 $\frac{1}{2}$. W. 26. lbs. dist. & a W. Oak 12. in. diam. bears S. 10 $\frac{1}{2}$ E. 09. lbs.
41. 50 A Brook 12. lbs. wide; Course S. W.
42. 00 Same Brook " " " " S. E.
45. 00 Hilly Upland of the 1st quality Timber; Oak. Hick. & c.
64. 50 A Run 3. lbs. wide; Course E.
68. 14 An Oak 24. in. diam. in the line
80. 00 Set a Post corner of Secs 19. 20. 29. 30. from which a W. Oak 12. in. diam. bears N. 65. E. 37. lbs. dist. & a W. Oak 15. in. diam. bears S. 50. W. 07. lbs. dist.

- South Between Secs 29. & 30. T. 1. S. R. No 7 W.
7. 50 A W. Oak 22. in. diam. in the line
18. 07 A W. Oak 16. in. diam. in the line
30. 00 A Run 6. lbs. wide. Course S. E.
30. 50 Ditto. " " " " S. W.
31. 00 Ditto. " " " " S. E.
40. 00 Set a Post from which an Elm 12. in. diam. bears N. 34. E. 31. lbs. dist. & a W. Oak 10. in. diam. bears S. 30. W. 16. lbs. dist.
- 49 73* 2nd rate Bottom Land. Timber. Oak. Ash. Elm & Hick.
50. 00 A Brook 20. lbs. wide; Course S. W.
62. 00 The Same " " " " S. E.
65. 00 The Same " " " " S. W.
68. 00 The Same " " " " S. E.
69. 50 The Same " " " " S. W.
70. 00 Upland. of the 1st quality.
72. 00 Set a Post. from which an Oak 30. in. diam. bears N. 64. E. 27. lbs. dist. & a Dogwood 6. in. diam. bears N. 63. W. 33. lbs.
80. 00 *An Oak 16. in. diam. in the line.

T. N. 1. S. R. N. 7. W. 2nd Mer.

- A. 16. W. 31. lks. dist. Van Oak 20. in. bears N. 63. E. 44. lks.
 43. 00 The Bed of a Run 4. lks. wide. Course E.
 63. 00 A Run 8. lks. wide. Course N. E.
 81. 15 Intersecting the N. line at the corner of Sec? 4 & 5.

North Between Sec? 10. & 11. T. 1. S. R. 7. W.

- ~~8. 00 A Dogwood in diam. on the line~~
 18. 29 An Oak. 30. in. diam. in the line.
 40. 00 Set a Post at a Dogwood half mile Post. from which a W. Oak 27. in. diam. bears S. 33. E. 32. lks. dist. Van Oak 7. in. diam. bears N. 29. W. 56. lks. dist.
 51. 00 A B. Oak 24. in. diam. in the line
 80. 00 The Bed of a Run 6. lks. wide. Course N. W.
 80. 00 Set a Dogwood Post corner of Sec? 2. & 3. 10. & 11. from which a W. Oak 10. in. diam. bears S. 52. 1/2. W. 30. lks. dist. Van Dogwood 7. in. diam. bears N. 34. E. 26. lks. Friday Nov 2nd.

East Between Sec? 2. & 11. T. 1. S. R. 7. W?

27. 50 The Bed of a Run 5. lks. wide. Course N. E.
 29. 30 A W Oak 36. in. diam?
 39. 86 Set a Dogwood half mile Post. from which an Oak 24. in. diam. bears S. 34. W. 26. lks. dist. Van Oak 12. in. diam. bears N. 49. E. 27. lks. dist.
 43. 00 An Oak 12. in. diam. in the line
 53. 00 The Bed of a Run 5. lks. wide. Course S.
 55. 00 The Bed of a Run - lks. wide. Course S. W.
 60. 00 An Oak 18. in. diam. in the line
 78. 00 The Bed of a Run - lks. wide Course Souths
 79. 72 Intersect N. & S. line at a Dogwood corner of Sec? 1. 2. N. & 12. Timber Oak. Hickory.

North Between Sec? 2. & 3. T. 1. S. R. 7. W. 2nd quality of Upland Timber, Oak, Hickory, &c. &c.

4. 84 A W Oak 20. in. diam. in the line.
 8. 50 The Bed of a Run 6 lks. wide. Course N. E.
 19. 50 The same " 3. " " " E.

T. A. G. Co. No 7 W. 2nd Mer.

- 17 18 A W. Oak 27 in? diam? in the line
 33. 49 An Oak 12 in? diam? in the line
 40. 00 A Gum Post at Gr. Sec. from which an Oak 30 in? diam? bears N. 6. W. 47. lbs. dist? & an Oak 10 in? bears S. 7. E. 42. lbs.
 50 81 An Elm 14 in? diam? in the line.
 63. 50 Crossed a Brook 30 lbs. wide. Course S. E.
 81. 78 Intersected the N. or Random line at a B Oak Corner of Sec? 2 & 3.

- North On a line Between Sec? 9 & 10. T. A. G. Co. 7 W. Per. level land. apparently Overflooded part of the year. Timber. Oak. Hickory. Ash. Plenty of herbage & large grass.
 13. 00 The Bed of a Run 8 lbs. wide. Course W.
 40. 00 An Ash for Gr. Sec. Post. from which an Oak 20 in? diam? bears S. 44 W. 30. lbs. dist? & an Oak 24 in? bears N. 46. E. 39. lbs. dist?
 47. 36 An Oak 18 in? diam? in the line.
 55. 00 The Bed of a Run 4 lbs. wide. Course N. W.
 56. 03 A W. Oak 24 in? diam? in the line.
 70. 50 A Brook 30 lbs. wide. Course N. E.
 72. 50 The Same ~ ~ ~ ~ N. E.
 74. 00 The Same ~ ~ ~ ~ N. E.
 80. 00 Set a Dogwood Sec. Post. Corner of Sec? & an Oak 20 in? diam? bears N. 60. W. 54. lbs. dist? & a Gum 12 in? diam? bears S. 74 E. 38. lbs. dist?

- East Between Sec? 3 & 10. T. A. G. Co. 7 W. 2nd quality of Upland. Timber. Oak Hickory &c. &c.
 8. 00 Crossed a Brook 30 lbs. wide. Course N. E.
 10. 83 An Oak 21 in? in diam? in the line.
 23. 00 A W. Oak 18 in? diam? in the line
 30. 50 The Bed of a Run 5 lbs. wide. Course N. W.
 39. 94 Set a Dogwood for Gr. Sec. Post. from which a W. Oak 23 in? diam? bears N. 33. W. 27 lbs. dist? & a W. Oak 36 in? diam? bears S. 77. E. 38. lbs. dist?
 54. 26 A W. Oak 20 in? diam? in the line.
 57. 50 The Bed of a Run 3 lbs. wide. Course N. W.

T. N. 1. S. R. N. 7. W. 2nd Mer.

75. 00 The Same Run 5. lks. wide. Course N. E.
 79. 50 The Same " 5 " " " N. W.
 79. 88 Intersecting N. & S. line at a Dogwood Post, corner of
 Secs. 10. 11. 14 & 15.

North Between Secs. 1 & 3. T. 1. S. R. 7. W.

16. 06 An Oak 24 in. diam. in the line
 22. 00 The Bed of a Run 4. lks. wide. Course N. W.
 40. 00 Set a Dogwood Post, from which an Oak 21 in. diam. bears S 46. W. lks. dist. & an Oak 10 in. bears N. 49. W. lks. dist.
 59. 00 The Bed of a Brook 10. lks. wide. Course N. E.
 81. 28 Intersecting N. & S. line at an Elm Post.

East On true line Between Secs. 21 & 28. T. 1. S. R. 7. W. Over
 hilly Upland of the 1st Quality. Timber. Oak. Hickory
 & Poplar. & a Plenty of herbage.

5. 50 The Bed of a Run 4. lks. wide. Course N. W.
 11. 93 An Oak 18 in. diam. in the line
 40. 00 Set a Dogwood Post, from which an Oak 14 in. diam. bears
 N 43. W. 26 lks. dist. & an Oak 15 in. bears S 77. W. 39 lks. dist.
 52. 96 An Oak 18 in. diam. in the line
 53. 20 The Bed of a Run 4. lks. wide. Course N. E.
 60. 50 The Bed of a Run 12. lks. wide. Course S. E.
 67. 90 The Bed of a Run 5. lks. wide. Course S.
 68. 13 An Oak 20 in. diam. in the line
 75. 00 The Bed of a Run 3. lks. wide. Course S. E.
 80. 14 To a Post, corner of Secs. 21. 23. 27 & 28.

North On a line Between Secs. 30 & 21. T. 1. S. R. 7. W.
 Hilly Upland of the 2nd Quality Timber. Oak. Poplar
 Hickory & Gum.

4. 00 The Bed of a Run 5. lks. wide. Course W.
 9. 21 An Oak 21 in. diam. in the line
 20. 00 The Bed of a Run 6. lks. wide. Course N. W.
 26. 69 A Hickory 12 in. diam. in the line.
 30. 50 The Bed of a Run 6. lks. wide. Course S. W.
 40. 00 A Dogwood Sapling at G. Sec. from which a N. Oak 20

27

T. N 1 G. B. N 7 W. 2nd Sher.

- in? diam? bears S. 34. E. 48. lbs. dist. & an Oak 18. in? diam
bears S. 68. 1/2 W. 40. lbs. dist
51. 00 The Bed of a Run 6. lbs. wide. Course S. W.
52. 41 An Oak 18. in? diam? in the line
56. 50 The Bed of a Run 4. lbs. wide, Course S. W.
- 80 00 Set a Dogwood Post corner of Sec? 16. 17. 20. & 21. from which
an Oak 24. in? diam? bears S. 38. W. 08. lbs. dist. & a Dogwood
7 in? diam? bears N. 53. W. 32. lbs. dist. & a Gum 6.
in? diam? bears S. 70. 1/2 E. 26. lbs. dist.

- East Between Sec? 16. & 21. T. 1. G. B. 7 W. Over upland
of the 2nd Quality. Timber. Oak. Hickory. Ash. &c.
5. 50 A W. Oak 21. in? diam? in the line
22. 00 The Bed of a Run 4. lbs. wide Course N. E.
26. 40 A Maple 9. in? diam? in the line
53. 50 The Bed of a Run 5. lbs. wide. Course N. W.
54. 30 A Maple 20. in? diam? in the line
34. 85 Set an Elm off Sec. Post. from which a Dogwood 10. in? in
diam? bears N. 54. E. 37. lbs. dist. & a Gum 15. in? diam?
bears N. 54. W. 10. lbs. dist. in the line
79. 70 To an Oak Post. Corner of Sec? 15. 16. 21. & 22.

- North Between Sec? 16. & 17. T. 1. G. B. 7 W. Over level Upland
of the 2nd Quality. Timber Oak. Hickory & Elm.
5. 00 The Bed of a Run - lbs. wide. Course N. E.
7. 12 A W. Oak 12. in? diam? in the line
40. 00 Set a Dogwood Post, from which an Oak 15. in? diam? bears
N. 51. 1/2 W. 36. lbs. dist. & an Oak 25. in? diam? bears S. 78. W. 31. lbs.
42. 50 The Bed of a Run 4. lbs. wide. Course N. E.
51. 35 A Maple 10. in? diam? in the line
- 60 00 Enter a Small Prairie covered with Grass.
70. 83 An Oak 20. in? diam? in the line
72. 00 Low wet Land. Timber. Maple & Ash.
80. 00 Set an Oak Post. corner of Sec? 8. 9. 16. & 17. from which
a Maple 12. in? diam? bears S. 71. E. 41. lbs. dist. & an
Oak 10. in? diam? bears S. 66. W. 48. lbs. dist.

T. N. G. R. N. 7. W. 2nd Mer.

- East On a line Between Trs. 9. & 16. T. 1. G. R. 7. W.
Level Land. Timber. Maple. Oak & Elm.
14. 17 An Elm 10. in. diam. in the line
79. 73 Set a Maple Post; from which an Elm 8. in. diam. bears
S 55. E. 45. lbs. dist. & a Maple 18. in. bears S 67. W. 36. lbs.
60. 00 The Bed of a Brook 12. lbs. wide. Course N. E.
79. 46 To an Elm post; corner of Trs. 9. 10. 15. & 16.
*
-
- East Between Trs. 11. & 14. T. 1. G. R. 7. W. Over Upland of
the 2nd quality Timber. Oak. Hickory. Ash. & Gum.
10. 25 The Bed of a Run 6. lbs. wide. Course N. E.
13. 39 A W. Oak 14. in. diam. in the line
30. 18 An Oak 25. in. diam. in the line
39. 87 Set a Dogwood Post from which an Oak 20. in. diam.
bears S. 20. W. 37. lbs. dist. & an Elm 14. in. bears S 43. W. 30. lbs. dist.
41. 00 The Bed of a 5. lbs. wide. Course S. W.
49. 87 A W. Oak 18. in. diam. in the line.
64. 50 The Bed of a Run 6. lbs. wide Course S. E.
66. 50 The Same " " 5. lbs. wide " S. E.
70. 00 The Same " " 5. lbs. wide " South.
79. 75 Set a Dogwood Post. Corner of Trs. 11. 12. 13. & 14.
-
- East * Between Trs. 10. & 15. T. 1. G. R. 7. W. Level Low
Land. thinly timbered with Oak, Hickory & Maple.
4. 04 An Oak 18. in. diam. in the line
53. 28 A Hickory 12. in. diam. line.
39. 08 Set a Sassafras. Op. Trs. Post. from which a Gum 12. in.
diam. bears S 60. E. 59. lbs. dist. & a Sassafras 6. in. diam.
bears N. 32. W. E. 27. lbs. dist.
79. 76 Intersect the N. & S. line at the Corner of Trs. 10. 11. 14. & 15.
-
- East Between Trs. 12 & 13. T. 1. G. R. 7. W.
24. 66 A W. Oak 18. in. diam. in the line
26. 50 The Bed of a Run 5 lbs. wide. Course S.
38. 79 An Oak 30. in. diam. in the line
40. 12 Set a Dogwood post from which a Sassafras 10. in. diam. bears

T. N. 1. G. B. N. 7. W. 2nd Mer.

- G. 45. W. 19. lbs. dist. of an Oak 12 in. in diam. bears
 N. 37. W. 03. lbs. dist.
40. 50 The Bed of a Run 3 lbs. wide. Course G.
56. 49 An Oak 15. in. diam. in the line
66. 60 A Brook 50. lbs. wide. Course South.
80. 24 Intersecting E. line at a Gum, at the corner of Sec. 12. & 13.

- North Between Sec. 11. & 12. T. 1. G. B. N. 7. W. 2nd Mer.
 Over Upland of the 2nd Quality Timber. Oak. Hick. &c.
7. 85 An Oak 27. in. diam. in the line
23. 94 An Oak 24 in. diam. in the line
34. 00 The Bed of a Run 13 lbs. wide. Course G. E.
40. 00 Get a Dogwood off the Post, from which an Oak 12. in. in
 diam. bears N. 34. W. 20. lbs. dist. & a Dogwood 6. in. diam.
 bears N. 35. E. 27. lbs. dist.
49. 50 The Bed of a Run 8 lbs. wide Course G. W.
56. 20 A Hickory 12. in. diam. in the line
73. 21 An Oak 21. in. diam. in the line
80. 00 Get a Dogwood Post from which an Oak 15. in. diam. bears
 N. 75. W. 50. lbs. dist. of an Oak 20. in. diam. bears G. 19.
 E. 31. lbs. dist. of an Oak 8. in. in diam. bears N. 30. E. 34. lbs. dist.

- East Between Sec. 11. & 12. T. 1. G. B. N. 7. W. Over 2nd rate
 Upland; Timber. Oak. Hickory & Gum.
24. 84 An Oak 18. in. diam. in the line
40. 12 Get a Dogwood Post from off the Corner, of an Oak 30. in. in
 diam. bears N. 31. E. 22. lbs. dist. of an Oak 18. in. diam. bears
 G. 74. E. 29. lbs. dist.
46. 63 A Hickory 12. in. diam. in the line
80. 26 Intersect the E. line at a Red Bud. Corner of Sec. 11 & 12.

Surveyed by Stephen Benton.

T. S. A. S. R. S. 7. M. 2nd M.

~~I certify that the foregoing Transcript of the
Field notes of Township 6 S. R. 7. M. 2nd M.
of the 2nd Mer. (S. 1840) is a true copy of the Original
notes, compared & found to be correct.
Surveyor General's Office.
Cincinnati June 18. 40.~~

North Boundary or Base line

West On S. boundary of Sec. 36, T. 1 N. R. 7 W.

10.60 at S. Oak 20 in. diam.

40.00 Set of Sec. post, from which
a Gum 16 in. diam. bears S 52 E 22 lks. dist. of
a Locust 12 " " " N 81 1/2 E 36 " "

62.10 a Maple 20 " "

72.10 Patoka branch 50 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 35 of 36, from which
a W. Oak 16 in. diam. bears N 61 W 24 lks. dist. of
a Do. 12 " " " S 18 W 33 " "

This mile to the Creek flat beech bottom, timber
Elm, Maple, Hickory &c.

West On S. boundary of Sec. 35, T. 1 N. R. 7 W.

19.32 a Mulberry 12 in. diam.

33.60 a drain Course N. W.

35.43 a W. Oak 84 in. diam.

40.00 Set of Sec. post, from which
a W. Oak 16 in. diam. bears N 87 W 22 lks. dist. of
a Do. 20 " " " S 36 W 17 " "

55.20 a W. Oak 20 " "

59.80 at Brook 20 lks. wide Course N.

80.00 Set post Cor. to Sec. 34 of 35, from which
a S. Oak 14 in. diam. bears S 89 E 50 lks. dist. of
a Hickory 12 " " " N 87 W 42 " "

This mile pretty level Oak & Hickory timber mid. soil

T. S. R. 7 W. 2^d Mer. Indiana

ch. 2 lks.

Met On S. boundary of Sec. 34, T. S. R. 7 W.

16.20 a B. Oak 30 in. diam.

40.00 Set of Sec. post, from which
a Hickory 16 in. diam. bear N 67 W 19 lks. dist. of
a W. Oak 12 " " " S 59 E 4 " "

54.60 a W. Oak 16 " "

76.78 a Do. 16 " "

80.00 Set post Cor. to Sec. 33 of 34, from which
a W. Oak 15 in. diam. bear N 41 W 15 lks. dist. of
a Do. 16 " " " S 44 E 14 " "This mile pretty level soil thin, timbered with Hickory.
Some B. Oak

Met On S. boundary of Sec. 33, T. S. R. 7 W.

21.10 a W. Oak 20 in. diam.

37.10 a Hickory 12 " "

40.00 Set of Sec. post, from which
a B. Oak 18 in. diam. bear N 45 E 6 lks. dist. of
a Do. 24 " " " S 33 E 25 " "

55.60 a Brook 10 lks. wide Course N.

80.00 Set post Cor. to Sec. 32 of 33, from which
a W. Oak 12 in. diam. bear S 86 E 29 lks. dist. of
a Hickory 10 " " " S 82 W 21 " "

This mile wavy land, timber Oak & Hickory, soil thin

Met On S. boundary of Sec. 32, T. S. R. 7 W.

1.35 a W. Oak 24 in. diam.

22.30 a B. Oak 24 " "

40.00 Set of Sec. post, from which
a B. Oak 30 in. diam. bear S 20 E 21 lks. dist. of
a W. Oak 16 " " " N 11 W 56 " "

41.35 a W. Oak 14 " "

41.80 a drain Course N.

57.20 a Hickory 12 in. diam.

62.00 a Brook 6 lks. wide Course N 30 E.

80.00 Set post Cor. to Sec. 31 of 32, from which

ch. 67 T1S R7W, 2nd Mer. Indiana

a W. Oak 12 in. diam. bear S 76 E 13 lks. dist. of
a do. 10 " " " N 44 E 20 " "
Sand middling Soil timber mostly W. Oak, some
B. Oak, Hickory, Gum, & Dogwood some Spice & Sassafras

West On S. boundary of Sec. 31, T1S, R7W
21.56 a B. Oak 24 in. diam.

32.80 a W. Oak 12 " "

40.00 Set of Sec. post, from which
a B. Oak 26 in. diam. bear N 49 W 20 lks. dist
a do. 24 " " " S 26 W 61 " "

51.20 a Birch 6 lks. wide Course N.W.

76.20 a W. Oak 14 in. diam.

80.00 Set post Cor. to Township 1 North & 1 South, of
Range 7 & 8 West, from which
a W. Oak 24 in. diam. bear S 67 E 44 lks. dist. of
a Gum 12 " " " S 28 W 39 " "
This mile low ridges, poor Soil, timber mostly W. Oak
some B. Oak & Hickory, Dogwood & some Sassafras (U.S.)

Oct. 15th 1874

E. Buckingham, U.S.

West Boundary

South On E. boundary of Sec. 1, T1S, R8W.

19.34 a W. Oak 24 in. diam.

40.00 Set of Sec. post, from which
a B. Oak 14 in. diam. bear S 62 W 67 lks. dist. of
a W. Oak 14 " " " N 62 E 56 " "

76.26 a Hickory 10 " "

80.00 Set post, Cor. to Sec. 1 & 12 from which
an Elm 24 in. diam. bear S 23 E 44 lks. dist. of
a do. 10 " " " N 34 E 37 " "
Good flat land, timber Oak, Hickory & Dogwood

South On E. boundary of Sec. 12, T1S, R8W.

16.61 an Elm 14 in. diam.

T. S. R. 7 W. 2. Mer. Indiana

- ch. 1/2 by
 21.50 a small drain running East
 40.00 Set gr. sec. post, from which
 a Maple 10 in. diam. bear S 67 W 31 lks. dist. of
 a Ho. 24 " " " S 84 W 42 " "
 62.10 a small drain Course E.
 80.00 Set post Cor. to Sec. 12 & 13 on a Dogwood 8
 inches diam. Low ridge - last 1/2 mile 2. Rate
 bottom Oak, Hickory, B. Walnut.

South On East Boundary of Sec. 13, T. S. R. 8 W

- 7.00 a small drain S. W.
 17.50 a W. Oak 20 in. diam.
 40.00 Set gr. sec. post, from which
 a W. Oak 18 in. diam. bear N 43 W 24 lks. dist. of
 a Hickory 12 " " " East 44 " "
 62.00 a small drain Course E.
 80.00 Set post Cor. to Sec. 13 & 24, from which
 a Hickory 15 in. diam. bear S 67 W 24 lks. dist. of
 a W. Oak 24 " " " N 48 E 46 " "
 Flat ridge, Oak & Hickory

South On E. boundary of Sec. 24, T. S. R. 8 W

- 17.70 a Hickory 16 in. diam.
 28.50 a run 8 lks. wide Course S. W.
 40.00 Set gr. sec. post, from which
 a W. Oak 16 in. diam. bear N 41 W 25 lks. dist. of
 a Ho. 26 " " " S 41 E 15 " "
 44.50 a W. Oak 15 " "
 50.00 a run 10 lks. wide Course S. E.
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a W. Oak 18 in. diam. bear S 57 W 16 lks. dist. of
 a Poplar 60 " " " N 14 E 20 " "
 Hills & flats, B. & W. Oak, Poplar &c.

South On E. boundary of Sec. 25, T. S. R. 8 W.

- 7.18 a W. Oak 18 in. diam.

T1S-R7W, 2.^d Mer. Indiana

ch. lks.
 18.50 a W. Oak 13 in. diam.
 28.50 a run 20 lks. wide Course S.W.
 36.00 Same run " " " East
 40.00 Set of Sec. post, from which
 an Ash 12 in. diam. bears South 44 lks. dist. of
 a Maple " " " N 8 E 23 " "
 66.81 a W. Oak 18 " "
 80.00 Set post Cor. to Sec. 25 of 36, from which
 a Gum 18 in. diam. bears South 45 lks. dist. of
 a do. 10 " " " N 85 W 35 " "
 2.^d rate Creek bottom, Oak, Ash, Gum &c.

South On E. boundary of Sec. 36, T1S, R8W.

20.74 a Lily pond 2 ch. wide
 39.00 Cut it again
 40.00 Set of Sec. post on a Gum 16 in. diam. on E. bank
 of Pond
 48.50 Cross Patoka 200 lks. wide Course S.W.
 56.50 Cross it again bearing South, line in Creek
 4 chains, then leave S.W.
 80.00 Set post Cor. to Township 1 of 2 South, Range
 7 of 8 West, from which
 a W. Oak 18 in. diam. bears S 20 W 34 lks. dist. of
 a do. 11 " " " S 82 E 23 " "
 Creek bottom, 2.^d rate Oak timber
 Oct. 22.^d 1874

Augustus Stone D. S.

I certify that the foregoing transcript of field notes
 of Township N. 1 South, of Range N. 7 West of the
 2.^d Principal Mer. Indiana, has been compared
 with the Original notes in this office & found to
 be correct.

Surveyor General's Office
 Detroit Oct 22. 1874

Sur. Genl.